

SPAN LIMITATIONS

Floor Vibrations - Flexible Supports

Calculation of floor vibration characteristics for Spancrete® hollowcore plank on rigid supports was addressed in RESEARCH NOTES 1021 and 1022. When Spancrete is supported on flexible supports, those supporting members will reduce the natural frequency of the system as compared to the Spancrete alone. Therefore, it is appropriate to include the effects of flexible support members when the system is to be evaluated for vibration criteria.

For floor plank combined with support beams, the natural frequency of the system can be approximated by:

$$\frac{1}{f_n^2} = \frac{1}{f_p^2} + \frac{1}{f_b^2}$$

where f_n = system natural frequency, Hz
 f_p = Spancrete plank natural frequency, Hz
 f_b = support beam natural frequency, Hz

Where a bay of plank is being investigated and the supporting beams at each end are different, the beam with the lower natural frequency should be used to determine the system natural frequency.

The individual natural frequencies are calculated as:

$$f_p = \frac{0.74}{L^2} \sqrt{\frac{EI}{wb}} \quad \text{for the plank, and} \quad f_b = \frac{0.74}{L_b^2} \sqrt{\frac{E_b I_b}{w_b}} \quad \text{for the beam}$$

where

L, L_b = respective span, ft E, E_b = respective modulus of elasticity, psi
 b = plank width, ft I, I_b = respective moment of inertia, in⁴
 w_b = uniform beam load, plf w = uniform plank weight, psf

The system natural frequency can then be used instead of the slab natural frequency for the evaluation procedures presented in RESEARCH NOTES 1021 and 1022.

A design example is given on the reverse side.

SPAN LIMITATIONS

Floor Vibrations - Flexible Supports

GIVEN:

Two bays of 22' long 8" Spancrete® hollowcore weighing 60 psf supported by a beam with spans 20'.

PROBLEM:

Determine the natural frequency of the system when the support beam is:

(1) a steel beam, w18 x 50 (2) a precast concrete beam, IT 30 x 20

SOLUTION:

$$(1) \text{ For plank } f_p = \frac{0.74}{L^2} \sqrt{\frac{EI}{wb}} = \frac{0.74}{(22^2)} \sqrt{\frac{4,300,000 (1730)}{60(4)}} = 8.51 \text{ Hz}$$

$$\text{For steel beam } f_b = \frac{0.74}{L_b^2} \sqrt{\frac{E_b I_b}{w_b}} = \frac{0.74}{(20^2)} \sqrt{\frac{29,000,000 (800)}{22 (60) + 50}} = 7.61 \text{ Hz}$$

$$\text{For system } \frac{1}{f_n^2} = \frac{1}{f_p^2} + \frac{1}{f_b^2} = \frac{1}{8.51^2} + \frac{1}{7.61^2} = 0.0311 \text{ and } f_n = \sqrt{\frac{1}{0.0311}} = 5.67 \text{ Hz}$$

$$(2) \text{ For precast beam } f_b = \frac{0.74}{(20^2)} \sqrt{\frac{4,700,000 (1650)}{20 (60) + 542}} = 11.84 \text{ Hz}$$

$$\text{For system } \frac{1}{f_n^2} = \frac{1}{8.51^2} + \frac{1}{11.84^2} = .0209 \text{ and } f_n = 6.91 \text{ Hz}$$

Conclusion: Use results for the total system frequencies in place of simple plank frequencies in the evaluation techniques in RESEARCH NOTES 1021 and 1022.

Note: Sample calculations are intended to illustrate the concept presented and do not represent all considerations necessary for the complete design.

EAST

Oldcastle Precast, Inc.
South Bethlehem, NY

Oldcastle Precast, Inc.
Manchester, NY

Conewago Precast Building
Systems
Hanover, PA

MIDWEST

Spancrete, Inc.
Green Bay, WI

Spancrete Industries, Inc.
Waukesha, WI

Hanson Structural Precast
Midwest, Inc.
Maple Grove, MN

Spancrete of Illinois, Inc.
Arlington Heights, IL

WEST

Hanson Structural Precast
Pacific, Inc.
Inwindale, CA

KIE-CON
Div. of Kiewitt Pacific Co.
Antioch, CA

Owell Precast
Sandy, UT

SOUTHWEST
Manco Structures, Ltd.
Schertz, TX

SOUTH

Cement Industries, Inc.
Fort Myers, FL

Florida Precast Industries, Inc.
Sebring, FL

MC Precast, Inc.
Atlanta, GA

CANADA
Burnco Concrete Products Ltd.
Calgary, Canada

EGYPT

Samcrete Egypt
Ahram, Giza

MEXICO

ITISA
Mexico City, Mexico

Spancrete Noreste
Monterrey, Mexico

TURKEY
Yapi-Merkezi
Camlica-Istanbul, Turkey

CARIBBEAN

Preconco Limited
Barbados, West Indies

Spancrete Caribbean, Ltd.
Trinidad, West Indies

UAE

Hi-Tech Concrete Products, LLC
Abu Dhabi, UAE

MACHINE MANUFACTURER

Spancrete Machinery
Corporation
Waukesha, WI

Spancrete is also manufactured in

Armenia	Denmark	Russia
Australia	Guatemala	South Korea
Belgium	Hungary	Spain
Brazil	Ireland	Switzerland
China	Israel	
Croatia	Japan	